



Certificate of Conformity

Certificate No.: 2088AP0401N031002
Equipment: PV inverter
Brand Name: 
Test Model No.: ASW3000-T, ASW4000-T, ASW5000-T, ASW6000-T
Applicant: AISWEI New Energy Technology(Jiangsu) Co.,Ltd
Building 9, No.198 Xiangyang Road, 215011 Suzhou, P.R.China
Report No.: PV200401N031, PV200401N031-1

Use in accordance with regulations:

Automatic disconnection device with single -phase mains surveillance in accordance with IEC 61727:2004 for photovoltaic systems with a single -phase parallel coupling via an inverter in the public mains supply. The automatic disconnection device is an integral part of the aforementioned inverters.

At the time of issue of this certificate the safety concept of an aforementioned representative product corresponds to the valid safety specifications for the specified use in accordance with regulations.

Applied rules and standards

IEC 61727:2004	Characteristics of the utility interface
IEC 62116:2014	Islanding prevention measures for utility-interconnected photovoltaic inverters

Name: James Huang
Technical Manager/ New Energy Team
Date: 2020-07-16

This document shall not be reproduced, except in full, without the written approval of Bureau Veritas Shenzhen Co., Ltd. Dongguan Branch.
Information given in this document is related to the tested specimen of the described electrical sample.